



# TCI AMERICA

## SAFETY DATA SHEET

Revision number: 3  
Revision date: 08/15/2016

### 1. IDENTIFICATION

**Product name:** Phenyl Ether  
**Product code:** P0177

**Product use:** For laboratory research purposes.  
**Restrictions on use:** Not for drug or household use.

**Company:**  
TCI America  
9211 N. Harborgate Street  
Portland, OR 97203 U.S.A.  
**Telephone:**  
+1-800-423-8616 / +1-503-283-1681  
**Fax:**  
+1-888-520-1075 / +1-503-283-1987  
**e-mail:**  
sales-US@TCIchemicals.com  
www.TCIchemicals.com

**Emergency telephone number:**  
**Chemical Emergencies:**  
TCI America (8:00am - 5:00pm) PST  
+1-503-286-7624  
**Transportation Emergencies:**  
Chemtrec 24-Hour  
+1-800-424-9300 (U.S.A.)  
+1-703-527-3887 (International)  
**Responsible department:**  
TCI America  
Environmental Health Safety and Security  
+1- 503-286-7624

### 2. HAZARD(S) IDENTIFICATION

**OSHA Haz Com: CFR 1910.1200:** Eye Damage/Irritation [Category 2B]  
Aquatic Hazard (Acute) [Category 1]  
Aquatic Hazard (Long-Term) [Category 2]

**Signal word:** Warning!

**Hazard Statement(s):** Causes eye irritation  
Very toxic to aquatic life  
Toxic to aquatic life with long lasting effects

**Pictogram(s) or Symbol(s):**



**Precautionary Statement(s):**  
[Prevention] Wash hands and face thoroughly after handling.  
[Response] If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.  
[Storage] None  
[Disposal] None

**Hazards not otherwise classified: [HNOC]** Causes mild skin irritation. May be harmful if swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/Mixture:** Substance  
**Components:** Phenyl Ether  
**Percent:** >99.0%(GC)  
**CAS Number:** 101-84-8  
**Molecular Weight:** 170.21  
**Chemical Formula:** C<sub>12</sub>H<sub>10</sub>O  
**Synonyms:** Diphenyl Ether

**4. FIRST-AID MEASURES**

<b>Inhalation:</b>	Call emergency medical service. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
<b>Skin contact:</b>	Call a poison center or doctor if you feel unwell. Remove and wash contaminated clothing before re-use. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
<b>Eye contact:</b>	IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
<b>Ingestion:</b>	Do not induce vomiting without medical advice. If swallowed, seek medical advice immediately and show the container or label. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

**Symptoms/effects:**

<b>Acute:</b>	Redness.
<b>Delayed:</b>	No data available

<b>Immediate medical attention:</b>	If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
-------------------------------------	--

**5. FIRE-FIGHTING MEASURES**

<b>Suitable extinguishing media:</b>	Dry chemical, CO <sub>2</sub> , sand, earth, water spray or regular foam Consult with local fire authorities before attempting large scale fire fighting operations.
--------------------------------------	--

**Specific hazards arising from the chemical**

<b>Hazardous combustion products:</b>	These products include: Carbon oxides
<b>Other specific hazards:</b>	Closed containers may explode from heat of a fire.

**Special precautions for fire-fighters:**

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

**Special protective equipment for fire-fighters:**

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions:</b>	Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
<b>Personal protective equipment:</b>	Wear eye protection (splash goggles) and face protection (full length face shield). Lab coat. Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).
<b>Emergency procedures:</b>	Prevent dust cloud. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

**Methods and materials for containment and cleaning up:**

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

**Environmental precautions:**

Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

**7. HANDLING AND STORAGE**

<b>Precautions for safe handling:</b>	Avoid inhalation of vapor or mist. Avoid contact with skin and eyes. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.
<b>Conditions for safe storage:</b>	Keep only in the original container in a cool well-ventilated place. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.
<b>Storage incompatibilities:</b>	Store away from oxidizing agents

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>Exposure limits:</b>	
<b>ACGIH TLV (TWA):</b>	1 ppm
<b>ACGIH TLV (STEL):</b>	2 ppm
<b>OSHA PEL (TWA):</b>	1 ppm (vapor)

**Appropriate engineering controls:**

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

**Personal protective equipment**

<b>Respiratory protection:</b>	Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
<b>Hand protection:</b>	Wear protective gloves.
<b>Eye protection:</b>	Safety glasses.
<b>Skin and body protection:</b>	Lab coat.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state (20°C):</b>	Solid
<b>Form:</b>	Crystal - Lump
<b>Color:</b>	White - Almost white
<b>Odor:</b>	Unpleasant
<b>Odor threshold:</b>	0.0012 ppm

<b>Melting point/freezing point:</b>	27°C (Freezing point) (81°F)	<b>pH:</b>	No data available
<b>Boiling point/range:</b>	258°C (496°F)	<b>Vapor pressure:</b>	2.7Pa/25°C
<b>Decomposition temperature:</b>	No data available	<b>Vapor density:</b>	5.9
<b>Relative density:</b>	No data available	<b>Dynamic Viscosity:</b>	No data available
<b>Kinematic Viscosity:</b>	No data available		
<b>Partition coefficient: n-octanol/water (log P<sub>ow</sub>)</b>	4.21	<b>Evaporation rate: (Butyl Acetate = 1)</b>	No data available
<b>Flash point:</b>	115°C (239°F)	<b>Autoignition temperature:</b>	617°C (1143°F)
<b>Flammability (solid, gas):</b>	No data available	<b>Flammability or explosive limits:</b>	
		<b>Lower:</b>	0.8%
		<b>Upper:</b>	1.5%

**Solubility(ies):**

**Water:** Insoluble (0.002g/100mL, 25°C)

**Soluble:** Ether, Alcohols, Benzene, Glacial acetic acid, Many organic solvents

**10. STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Not Available.
<b>Chemical Stability:</b>	Stable under recommended storage conditions. (See Section 7)
<b>Possibility of Hazardous Reactions:</b>	No hazardous reactivity has been reported.
<b>Conditions to avoid:</b>	Avoid excessive heat and light.
<b>Incompatible materials:</b>	Strong oxidizing agents
<b>Hazardous Decomposition Products:</b>	No data available

**11. TOXICOLOGICAL INFORMATION**

RTECS Number: KN8970000

**Acute Toxicity:**

orl-rat LD50:2450 mg/kg

skn-rbt LD50:&gt;7940 mg/kg

**Skin corrosion/irritation:**

skn-rbt 500 mg/24H MLD

**Serious eye damage/irritation:**

No data available

**Respiratory or skin sensitization:**

No data available

**Germ cell mutagenicity:**

No data available

**Carcinogenicity:**

No data available

**IARC:** No data available**NTP:** No data available**OSHA:** No data available**Reproductive toxicity:**

No data available

**Routes of Exposure:**

Inhalation, Eye contact, Ingestion, Skin contact.

**Symptoms related to exposure:**

Eye contact may result in redness or pain. Skin contact may result in redness, pain or dry skin. Overexposure may result in serious illness or death.

**Potential Health Effects:**

Skin and eye contact may result in irritation. May be harmful if inhaled or ingested. Overexposure may result in serious illness or death.

**Target organ(s):**

No data available

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Fish:**

48h LC50:4.6 ppm (Oryzias latipes)

96h LC50:1.8 mg/L (Oryzias latipes)

**Crustacea:**

48h EC50:2.0 mg/L (Daphnia magna)

**Algae:**

72h EC50:0.58 mg/L (Selenastrum capricornutum)

72h NOEC:0.32 mg/L (Selenastrum capricornutum)

**Persistence and degradability:**

6.3% (by BOD)

**Bioaccumulative potential (BCF):**

112 - 583 (conc. 0.3 ppm), 49 - 594 (conc. 0.03 ppm)

**Mobility in soil:**

No data available

**Partition coefficient:**

4.21

**n-octanol/water (log P<sub>ow</sub>)****Soil adsorption (K<sub>oc</sub>):**

870 - 3300

**Henry's Law:**

41.3

**constant (PaM<sup>3</sup>/mol)****13. DISPOSAL CONSIDERATIONS****Disposal of product:**

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

**Disposal of container:**

Dispose of as unused product. Do not re-use empty containers.

**Other considerations:**

Observe all federal, state and local regulations when disposing of the substance.

**14. TRANSPORT INFORMATION****DOT (US)**

**14. TRANSPORT INFORMATION**

<b>UN number:</b> UN3077	<b>Proper Shipping Name:</b> Environmentally hazardous substance, solid, n.o.s.	<b>Class or Division:</b> 9 Miscellaneous hazardous material	<b>Packing Group:</b> III
-----------------------------	---	--	------------------------------

**IATA**

<b>UN number:</b> UN3077	<b>Proper Shipping Name:</b> Environmentally hazardous substance, solid, n.o.s.	<b>Class or Division:</b> 9 Miscellaneous hazardous material	<b>Packing Group:</b> III
-----------------------------	---	--	------------------------------

**IMDG**

<b>UN number:</b> UN3077	<b>Proper Shipping Name:</b> Environmentally hazardous substance, solid, n.o.s.	<b>Class or Division:</b> 9 Miscellaneous hazardous material	<b>Packing Group:</b> III
-----------------------------	---	--	------------------------------

**EmS number:** F-A, S-F

**15. REGULATORY INFORMATION****Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

**US Federal Regulations****CERCLA Hazardous substance and Reportable Quantity:**

<b>SARA 313:</b>	Not Listed
<b>SARA 302:</b>	Not Listed

**State Regulations****State Right-to-Know**

<b>Massachusetts</b>	Not Listed
<b>New Jersey</b>	Listed
<b>Pennsylvania</b>	Not Listed
<b>California Proposition 65:</b>	Not Listed

**Other Information****NFPA Rating:**

<b>Health:</b>	2
<b>Flammability:</b>	1
<b>Instability:</b>	0

**HMIS Classification:**

<b>Health:</b>	2
<b>Flammability:</b>	1
<b>Physical:</b>	0

**International Inventories**

<b>WHMIS hazard class:</b>	D2B: Materials causing other toxic effects. (Toxic)
<b>EC-No:</b>	202-981-2

**16. OTHER INFORMATION**

**Revision date:** 08/15/2016

**Revision number:** 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.