

## 1 Identification

### Product identifier

**Product name:** (+/-)-2-Aminobutane

**Stock number:** A13014, L13190

**CAS Number:**  
13952-84-6

**EC number:**  
237-732-7

**Index number:**  
612-052-00-7

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757  
Email: tech@alfa.com  
www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS02 GHS05 GHS07

### Signal word

Danger

### Hazard statements

H225 Highly flammable liquid and vapor.

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

B2 - Flammable liquid

D2B - Toxic material causing other toxic effects

E - Corrosive material



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 3 Flammability = 3

REACTIVITY 1 Physical Hazard = 1

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

**Product name: (+/-)-2-Aminobutane**

vPvB: Not applicable.

(Contd. of page 1)

### 3 Composition/information on ingredients

**Chemical characterization: Substances**

**CAS# Description:**

13952-84-6 (+/-)-2-Aminobutane

**Identification number(s):**

**EC number:** 237-732-7

**Index number:** 612-052-00-7

### 4 First-aid measures

**Description of first aid measures**

**General information** Immediately remove any clothing soiled by the product.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed**

Causes severe skin burns.

Harmful if swallowed.

Harmful if inhaled.

Causes serious eye damage.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen cyanide (HCN)

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

**Methods and material for containment and cleaning up:**

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** Keep away from ignition sources.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

**Handling**

**Precautions for safe handling**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:**

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away.

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:**

Store away from oxidizing agents.

Store away from air.

**Further information about storage conditions:**

Store under dry inert gas.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)  
USA

**Product name: (+/-)-2-Aminobutane**

(Contd. of page 2)

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** No data

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Penetration time of glove material (in minutes)** Not determined

**Eye protection:**

Tightly sealed goggles

Full face protection

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Liquid

**Odor:** Amine-like

**Odor threshold:** Not determined.

**pH-value (100 g/l) at 20 °C (68 °F):** 12.5

**Change in condition**

**Melting point/Melting range:** -104 °C (-155 °F)

**Boiling point/Boiling range:** 63 °C (145 °F)

**Sublimation temperature / start:** Not determined

**Flash point:** -19 °C (-2 °F)

**Flammability (solid, gaseous)** Not determined.

**Ignition temperature:** 290 °C (554 °F)

**Decomposition temperature:** Not determined

**Auto igniting:** Not determined.

**Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

**Explosion limits:**

**Lower:** 1.8 Vol %

**Upper:** 9 Vol %

**Vapor pressure at 20 °C (68 °F):** 182 hPa (137 mm Hg)

**Density at 20 °C (68 °F):** 0.722 g/cm<sup>3</sup> (6.025 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not determined.

**Evaporation rate** Not determined.

**Solubility in / Miscibility with**

**Water:** Fully miscible

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**dynamic at 20 °C (68 °F):** 0.5 mPas

**kinematic:** Not determined.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Oxidizing agents

Air

Carbon dioxide

**Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrogen cyanide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

Harmful if inhaled.

Harmful if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**LD/LC50 values that are relevant for classification:** No data

**Skin irritation or corrosion:** Causes severe skin burns.

**Eye irritation or corrosion:** Causes serious eye damage.

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** No effects known.

**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** No effects known.

**Specific target organ system toxicity - single exposure:** No effects known.

(Contd. on page 4)  
USA

**Product name: (+/-)-2-Aminobutane**

(Contd. of page 3)

**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.  
**Carcinogenic categories**  
**OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.









**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Ecotoxic effects:**  
**Remark:** Very toxic for aquatic organisms  
**Additional ecological information:**  
**General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Do not allow material to be released to the environment without proper governmental permits.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Avoid transfer into the environment.  
Very toxic for aquatic organisms  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.  
**Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN2733
<b>UN proper shipping name</b> <b>DOT</b> <b>IMDG</b> <b>IATA</b>	Amines, flammable, corrosive, n.o.s. ((+/-)-2-Aminobutane) AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((+/-)-2-Aminobutane), MARINE POLLUTANT AMINES, FLAMMABLE, CORROSIVE, N.O.S. ((+/-)-2-Aminobutane)
<b>Transport hazard class(es)</b> <b>DOT</b>	
  	
<b>Class</b> <b>Label</b> <b>Class</b> <b>Label</b> <b>IMDG</b>	3 Flammable liquids. 3+8 3 (FC) Flammable liquids 3+8
  	
<b>Class</b> <b>Label</b> <b>IATA</b>	3 Flammable liquids. 3+8
 	
<b>Class</b> <b>Label</b>	3 Flammable liquids. 3+8
<b>Packing group</b> <b>DOT, IMDG, IATA</b>	II
<b>Environmental hazards:</b> <b>Marine pollutant (IMDG):</b>	Environmentally hazardous substance, liquid; Marine Pollutant Symbol (fish and tree)
<b>Special precautions for user</b> <b>Segregation groups</b>	Warning: Flammable liquids Alkalis
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> <b>DOT</b> <b>Marine Pollutant (DOT):</b> <b>Remarks:</b>	No Special marking with the symbol (fish and tree).
<b>UN "Model Regulation":</b>	UN2733, Amines, flammable, corrosive, n.o.s. ((+/-)-2-Aminobutane), 3 (8), II

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)  
USA

Product name: (+/-)-2-Aminobutane

(Contd. of page 4)

Hazard pictograms



GHS02 GHS05 GHS07

Signal word **Danger**

Hazard statements

H225 Highly flammable liquid and vapor.  
H302+H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 10/12/2016 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA