

## 1 Identification

### Product identifier

**Product name:** Lithium fluoride

**Stock number:** 10736

**CAS Number:**  
7789-24-4

**EC number:**  
232-152-0

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS06

### Signal word

Danger

### Hazard statements

H301 Toxic if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P362 Take off contaminated clothing and wash before reuse.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

7789-24-4 Lithium fluoride

**Product name:** Lithium fluoride

(Contd. of page 1)

**Identification number(s):**  
**EC number:** 232-152-0

**4 First-aid measures**

**Description of first aid measures**

**General information**

Immediately remove any clothing soiled by the product.  
In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Do not induce vomiting; immediately call for medical help.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed**

Causes skin irritation.  
Causes serious eye irritation.  
Toxic if swallowed.  
May cause respiratory irritation.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)  
Lithium oxide

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow product to reach sewage system or any water course.

**Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

**Reference to other sections**

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

**Handling**

**Precautions for safe handling**

Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:** The product is not flammable

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Store away from oxidizing agents.

**Further information about storage conditions:**

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**7789-24-4 Lithium fluoride (100.0%)**

PEL (USA)	Long-term value: 2.5 mg/m <sup>3</sup> as F
REL (USA)	Long-term value: 2.5 mg/m <sup>3</sup> as F
TLV (USA)	Long-term value: 2.5 mg/m <sup>3</sup> as F, BEI
EL (Canada)	Long-term value: 2.5 mg/m <sup>3</sup> as F

(Contd. on page 3)  
USA

**Product name: Lithium fluoride**

(Contd. of page 2)

**Ingredients with biological limit values:**

**7789-24-4 Lithium fluoride (100.0%)**

BEI (USA) 2 mg/L  
Medium: urine  
Time: prior to shift  
Parameter: Fluoride (background, nonspecific)

3 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Fluoride (background, nonspecific)

**Additional information:** No data

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

**Recommended filter device for short term use:**

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** 480

**Glove thickness** 0.11 mm

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Various forms (powder/flake/crystalline/beads, etc.)

**Odor:** Odorless

**Odor threshold:** Not determined.

**pH-value:** Not applicable.

**Change in condition**

**Melting point/Melting range:** 845 °C (1553 °F)

**Boiling point/Boiling range:** 1680 °C (3056 °F)

**Sublimation temperature / start:** Not determined

**Flammability (solid, gaseous)** Not determined.

**Ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Auto igniting:** Not determined.

**Danger of explosion:** Not determined.

**Explosion limits:**

**Lower:** Not determined

**Upper:** Not determined

**Vapor pressure:** Not applicable.

**Density at 20 °C (68 °F):** 2.635 g/cm<sup>3</sup> (21.989 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not applicable.

**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**

**Water at 20 °C (68 °F):** 1.3 g/l

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**dynamic:** Not applicable.

**kinematic:** Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** Reacts with strong oxidizing agents

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:**

Hydrogen fluoride

Lithium oxide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

Toxic if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

**LD/LC50 values that are relevant for classification:**

Oral LD50 143 mg/kg (rat)

**Skin irritation or corrosion:** Causes skin irritation.

(Contd. on page 4)  
USA

**Product name: Lithium fluoride**

(Contd. of page 3)

**Eye irritation or corrosion:** Causes serious eye irritation.  
**Sensitization:** No sensitizing effects known.  
**Germ cell mutagenicity:** No effects known.  
**Carcinogenicity:**  
 ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.  
**Reproductive toxicity:** No effects known.  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
**Specific target organ system toxicity - single exposure:** May cause respiratory irritation.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.  
**Carcinogenic categories**  
**OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.



**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
 Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
 Avoid transfer into the environment.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN3288
<b>UN proper shipping name</b> <b>DOT</b> <b>IMDG, IATA</b>	Toxic solid, inorganic, n.o.s. (Lithium fluoride) TOXIC SOLID, INORGANIC, N.O.S. (Lithium fluoride)
<b>Transport hazard class(es)</b> <b>DOT</b>	
	
<b>Class</b> <b>Label</b> <b>Class</b> <b>Label</b> <b>IMDG, IATA</b>	6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1
	
<b>Class</b> <b>Label</b>	6.1 Toxic substances. 6.1
<b>Packing group</b> <b>DOT, IMDG, IATA</b>	III
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> <b>EMS Number:</b>	Warning: Toxic substances F-A,S-A
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> <b>DOT</b> <b>Marine Pollutant (DOT):</b>	No
<b>UN "Model Regulation":</b>	UN3288, Toxic solid, inorganic, n.o.s. (Lithium fluoride), 6.1, III

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS06

**Signal word** Danger  
**Hazard statements**  
 H301 Toxic if swallowed.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.

(Contd. on page 5)  
USA

**Product name: Lithium fluoride**

(Contd. of page 4)

H335 May cause respiratory irritation.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P362 Take off contaminated clothing and wash before reuse.  
P321 Specific treatment (see on this label).  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P405 Store locked up.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)** Substance is not listed.

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:** For use only by technically qualified individuals.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation / last revision** 07/12/2016 / -

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Acute Tox. 3: Acute toxicity, Hazard Category 3

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3